BRIVERGLASS


Info@briverglass.com www.briverglass.com

SHANDONG YONGXIN PACKAGING GROUP CO.,LTD. SHANDONG YONGXIN IMPORT EXPORT CO.,LTD.

BRIVERGLASS

FOCUS ON GLASS PACKAGING









MISSION

Focus on glass packaging and become the most professional glass bottle manufacturer and packaging service provider.



VALUE

Rigorous work attitude; reliable product quality; innovative work spirit. Achieving a win-win relationship and establishing long-term cooperation.

BRIVERGLASS

Key Figures



2009 Founded in



134 000 Cover square meters



225 000
Produce bottles
tons per year



418M\$
Annual turnover million



Froduct cover countries around the world



726 With staff



Key Person



Experienced business leader in the industry, John has grown from a fledgling young man to an expert during the past ten years. He always maintain his passion for the industry and keep striving for excellence, he pursues continuous improvement of himself and seizes every opportunity to move forward, which inspired those around him and make him become a role model for them to follow. Specialist in business planning, negotiation, operations management, team building, John has became a leader in the field.




Skilled in production, Jack has been in this industry for over than 5 years and has deep understanding about production process. He is respected for practical experience as well as theoretical knowledge. Under his leadership the company's productivity has been significantly improved and the quality of products has became more stable. He regularly presents at various industry forums and conferences and also participates in training actively, transferring his experiences and skills to newcomers to help them grow and improve faster. He is a leader with spirit of dedication, concentration and innovation who leads company to growth.









Certification




SGS Food Contact Test For EU FR IT











PRODUCTION PROCESS

High-quality Raw Materials

We'll have inspection and chemical elements testing for each batch of raw materials to ensure all meet quality standards.

03 Bottle Production

Glass gobs become bottle in high qulity glass mold after blowing and forming. It supports production of common glass, flint glass, and superflint glass bottles. It has 3 different raw material production lines and can produce 4 different bottle shapes at the same time.

Internal pressure resistance test. By applying a certain pressure to the bottle, observe whether the bottle is damaged after a period of pressure, or continue to pressurize and record the maximum pressure value when the bottle bursts.

Sealing test. By evacuating the vacuum chamber, a pressure difference occurs between the inside and outside of the bottle immersed in water, and the leakage of gas in the bottle is observed to determine the sealing performance of the bottle.

Impact resistance test. A certain quality standard pendulum will have different impact forces on objects when it swings freely depending on the lifting height, thereby determining the impact force that the bottle can withstand.

Heat resistance test. Determine the impact force the bottle will withstand as it resists heat

Stress test. The principle of polarized light interference is used to check the internal stress of alass.

Electronic axis deviation test. The bottle bottom is clamped and fixed on the flat floor rotating disk, so that the bottle mouth is in contact with the probe, and the maximum and minimum values are read by rotating 360 degrees. The difference between the two is 1/2 as the vertical axis deviation value.

02 Melting

The different raw materials are mixed and blended in proportion to each other, and then fully burned in the kiln to melt the glass adhesive.

Hot End 04 reatment And Annealing

Reduce scratches on the bottle surface and make the bottle smoother.

Cold End
Treatment

Bottles are coated to reduce friction, MOO 50000

Quality 06
Inspection
In Workshop

(07)

Laboratory

Testing

Check the appearance of the bottle. No double seams,
no bubbles, no scratches, no bumps. The bottom of the bottle is even, not shake, with good stability.

Measure the size of the bottle, including bottle mouth, the height of the bottle, the diameter of the bottle, and the bottom thickness.

Throw away unqualified bottles directly.

Package

Honeycomb pater packaging, craftboard partitions, carton packaging We respect and support intellectual property rights and require signing of drawings, production entrustment and signing of NDA.



SERVICE

Drawing Design



Design 2D technical drawing and 3D animations



Check the shape and appearance of the bottle and visually observe the effect of the bottle, which can be completed in 3 days

3D Model



Cork stopper, screw cap, quala mouth

Caps

Label



100% recyclable eco-friendly inks, Paper labels, decals, screen printing, hot stamping

Mold Manufacturing



High-quality mold materials, professional engraving, 100% compliance with drawings; support mold modification; mold production time is 15 days.

Bottle Manufacturing



Common glass, flint and super flint, three types of glass bottles

Decoration

Electroplating





Packaging

3-layer, 5-layer strong boxes, fumigation pallets short pallets, thermoshrink film, honeycomb dividers, cold treatment cardboard dividers



- Raw material inspection and chemical elements testing
- Appearance and size inspection during the production line
- Random inspection by experienced inspector after the annealing furnace
- Laboratory testing and quality inspection
- Individually inspection by skilled operators before packaging

FIVE MAJOR QUALITY INSPECTION PROCEDURES

A COMPLETE QUALITY INSPECTION

SYSTEM, AND GOOD QUALITY INSPECTION RECORDS.






PHOTO SERIES Customer Visit

Company Exhibition




















Exhibition Hall









YXJ-10047

□ 500ml ① 222mm

680g
 90.9mm





YXJ-10238

□ 500ml 1 221.5mm





YXJ-10001

□ 500ml 1 226mm

@ 620g ↔ 90.2mm





AJ-10508

□ 700ml ① 230.5mm

680g
 90.5mm







AJ-11517

□ 750ml ① 302mm 6 620g → 74mm





YXJ-10954

□ 500ml 1 265.63mm





YXJ-10570

□ 750ml ① 226mm

6 620g ↔ 89mm





YXJ-10142

□ 750ml ① 279mm

6 580g ↔ 80.2mm





YXJ-10500

□ 500ml 1 223mm

680g
 223mm





YXJ-10030

□ 500ml ① 224.3mm

@ 750g ⊕ 92.5mm





YXJ-10375

□ 500ml 1 226mm

6 620g ↔ 78.5mm





YXJ-10310

□ 700ml 1 287.5mm

6 680g → 91mm







YXJ-11047

□ 750ml ① 248mm © 680g ↔ 100.2mm





□ 500ml 1 227.8mm





YXJ-11022

□ 750ml 1 226mm





AJX-12074

□ 750 ml 1 205.7mm





@ 1200g ⊕ 164.3mm





YXJ-11099

□ 750ml ① 252.5mm

6 620g ↔ 89mm





YXJ-11123

□ 500ml 1 250mm

@ 580g ↔ 71mm





□ 750ml ① 305mm

@ 620g ↔ 80mm









YXJ-10976

□ 750ml 1 256.5mm





□ 750ml 1 238.9mm





YXJ-11307

□ 700ml 1 197mm

© 1200g ↔ 197mm





YXJ-10995

□ 750 ml 1 174.5mm

© 1000g ↔ 110mm





YXJ-10427

□ 700ml 1 225.6mm



AJ-11646

□ 500ml ① 250.5mm

@ 750g ↔ 79mm





YXJ-10597

□ 700ml ① 227.8mm

@ 950g ⊕ 95.9mm





YXJ-11473

□ 750ml 1 258.69mm

© 650g ↔ 82.78mm





YXJ-10219


☐ 700ml ① 300.5mm





YXJ-10303

□ 750ml ① 302.8mm





AJ-10493

□ 500ml





YXJ-10846

□ 500ml









YXJ-11496

450ml





YXJ-10003

□ 500ml

620g





□ 500ml

@ 650g



AJ-10432 AJ-10378

□ 100ml

□ 750ml





YXJ-11110

□ 750ml



YXJ-11223

□ 750ml





AJ-10458 AJ-11067

□ 700ml

□ 750ml





AJ-11823 AJ-10733

□ 700ml

□ 750ml





AJ-10763

□ 350ml





YXJ-10337 YXJ-11262 YXJ-10508

□ 330ml □ 500ml

□ 750ml

€ 680g





AJ-10874 YXJ-10302

☐ 700ml ☐ 750ml ☐ 680g ☐ 680g





NO.	님	G	(\$)	\longleftrightarrow	
YXJ-10955	700ml	620g	245.5mm	81.7mm	
YXJ-10975	750ml	680g	252.8mm	83.8mm	











AJ-11467 □ 150ml □ 250g	JA-4994 <a>□ 250ml <a>□ 300g	AJ-4995 □ 375ml □ 380g	AJ-12182 ☐ 1000ml ☐ 700g
YXJ-10940 ☐ 500ml ☐ 520g	YXJ-10903 ☐ 700ml ☐ 580g	AJ-11277 □ 750ml 6 580g	





NO.		G		\Leftrightarrow	
YXJ-10336	200ml	420g	275mm	49mm	
YXJ-11174	375ml	516g	324mm	56.5mm	
YXJ-11272	500ml	620g	339.5mm	62.8mm	





NO.		G	1	\longleftrightarrow
YXJ-10123	375ml	580g	324.7mm	57mm
YXJ-10040	500ml	580g	189.3mm	66.3mm
YXJ-10537	750ml	780g	329.4mm	76.2mm
YXJ-10970	1000ml	920g	346mm	84.5mm





NO.		G	1	\leftrightarrow
YXJ-11259	100ml	200g	125.5mm	53mm
YXJ-10526	200ml	300g	144.6mm	64.5mm
YXJ-10187	375ml	420g	176mm	76.2mm
YXJ-10272	400ml	420g	175mm	78.3mm
YXJ-10095	500ml	580g	197.3mm	83.6mm
AJX-10511	700ml	580g	208mm	90.3mm
YXJ-10260	750ml	680g	220mm	92.8mm
YXJ-11018	1000ml	750g	238mm	99.8mm





YXJ-11126 YXJ-10181	700ml 750ml	830g 800g	213.5mm 145.71mm	97mm 98.6mm	
YXJ-10180	500ml	620g	192.1mm	87.68mm	
NO.		G	(\leftrightarrow	





NO.		G	1	\longleftrightarrow	
YXJ-10455	330ml	420g	180.3mm	84.6mm	
YXJ-10407	500ml	550g	203.3mm	95.4mm	
YXJ-10261	700ml	680g	224mm	106.24mm	

