



Dependable

Hard-work

Responsible

Sincerity

Win-win

Create

YAO QING INDUSTRIAL LIMITED

Address: No.98 Environmental Protection Industrial Park,Diao Town Street
ZhangZha Village Zhangqiu District,Jinan,Shandong,China

Tel / WhatsApp: +86 150 7522 9909

Email:info@yqmetalpanel.com

Website: www.yqmetalpanel.com



耀清實業
YAO QING INDUSTRIAL

Metal Carved Board

Insulation Decoration Integrated Board

Sincerity · Win-win · Create



YAO QING INDUSTRIAL LIMITED

The pursuit of excellence without end
Advance with the times and create the future



- *QUALITY RESULTS FROM SPECIALITY,*
- *SINCERE CREATES BRAND.*



耀清實業
YAO QING INDUSTRIAL

COMPANY PROFILE



Yao Qing Industrial Limited is an international enterprise headquartered in Hong Kong, specializing in the design, research and development, production, and sales of high-performance metal carved panels, providing innovative building enclosure solutions for the global construction market. We have an advanced self owned manufacturing base located in Zhangqiu District, Jinan, China, integrating cutting-edge research and development capabilities with strong production resources to ensure the provision of high-quality products that meet international standards.

Our own advanced manufacturing base (Jinan, China): We operate a high-tech manufacturing base equipped with intelligent production lines in Zhangqiu District, Jinan, focusing on the design, research and development, and production of metal carved panels, prefabricated buildings, and booths. The base holds multiple national patents and strictly adheres to international environmental standards (such as greenhouse gas emission verification reports) and quality certification systems.

Hong Kong Headquarters – Global Operations Center: With the advantages of Hong Kong as an international logistics and financial center, we focus on global market development, cross-border supply chain management, and technical consulting services. Our mission is to seamlessly connect the excellent manufacturing capabilities of our own factories with overseas demand, providing customized solutions for global commercial, residential, and industrial projects.


QUALIFICATION CERTIFICATE



REAL SCENE OF THE COMPANY



STAFF STYLE



PRODUCT DESCRIPTION



Metal carving boards are made of environmentally friendly materials (inner polyurethane layer is the same material as refrigerator and air conditioning insulation layer). They are non-toxic, odorless and pollution-free. They provide green protection and decoration for buildings. The surface is a high quality color relief veneer metal plate with special layer treatment, the middle layer is a rigid high density polyurethane foam thermal insulation layer with flame retardant treatment, and the bottom layer is an aluminium foil protective layer with thermal insulation, thermal insulation and moisture-proof function. Because the wallboard itself has the characteristics of thermal insulation, waterproof and flame retardant, light anti-seismic, convenient construction, sound insulation and noise reduction, green environmental protection, beautiful and durable, and because of its simple and practical plate assembly method, not limited by seasonal environment, so the installation and use is very safe and convenient, suitable for all seasons. This innovative exterior wall thermal insulation decoration board highlights its advantages.

This material has decoration and heat preservation function. By embossing and baking aluminized zinc plate, it can form more than 100 kinds of art decoration effects, such as red wood grain, brick grain, bark grain, cultural stone, marble, mosaic, etc. Metal carving board effectively solves the problem of single function of traditional material and synchronizes the decoration of external wall with heat insulation. In summer, the indoor temperature is 3-5 degrees lower than that of ordinary buildings, and it only takes about 5-8 years for the houses decorated with metal carved boards to recover the cost of materials in terms of air conditioning and cooling.

PRODUCT FEATURES



Thermal insulation, consumption reduction and energy saving

Compared with traditional exterior wall panels, metal carved panels have better heat preservation and heat insulation functions.



Convenient installation

The installation method of metal carving board is simple, not affected by the season and weather



Implement energy saving and environmental protection concepts

The metal carved board has stable chemical and physical structure, no pollution, and long service life.



Sound insulation and noise reduction, quiet and comfortable

The metal carved board is a closed bubble structure, which has a significant sound insulation effect.



Waterproof and moisture-proof performance is stable

The metal carved board is processed by special process, with good waterproof performance and high material stability.



Light texture and obvious shockproof effect

The metal carved board has been treated with a special process and has strong shock and crack resistance characteristics



Flame retardant properties

The core material has been specially treated to have good fire and flame retardant properties.





Many patterns and colorful

There are many kinds of metal carving boards, you can choose from more than 100 different carving patterns and background colors

STRUCTURAL SKETCH OF WALLBOARD


SCHEMATIC DIAGRAM OF SURFACE MATERIAL STRUCTURE

Polyurethane sandwich panel




THE WALL BOARD SIZES


● Plane series




● Brick line series




● Middle ditch series



Rock wool sandwich panel



EPS foam sandwich panel



Packing specification

Weight	3.7kg/m ²
Length	customized
Width	383mm
Thickness	standard 16mm
Area of each piece	1.532m ²
Standard size	4000 × 383 × 16mm
Packing size	4000 × 415 × 165mm
Package quantity	10 pieces/carton

Coarse Brick Pattern



CZ-001



CZ-002



CZ-003



CZ-004



CZ-005



CZ-006



CZ-007




CZ-008



CZ-009



CZ-010




CZ-011



CZ-012

Wide and Narrow Brick Pattern



KZ-001



KZ-002



KZ-003



KZ-004



KZ-005



KZ-006




KZ-007



KZ-008



KZ-009



KZ-010

Standard Brick (Seven Brick) Pattern



BZ-001



BZ-002




BZ-003



BZ-004



BZ-005



BZ-006



BZ-007




BZ-008



BZ-009



BZ-010



BZ-011

Standard Brick (Seven Brick) Pattern




BZ-012



BZ-013




BZ-014




BZ-015



BZ-016




BZ-017



BZ-018



BZ-019



BZ-020



BZ-021



BZ-022



BZ-023

Three Brick Pattern




ST-001



ST-002



ST-003



ST-004



ST-005



ST-006



ST-007



ST-008



ST-009



ST-010




ST-011



ST-012

Elastic Coating Pattern



TT-001



TT-002



TT-003




TT-004



TT-005



TT-006



TT-007



TT-008



TT-009



TT-010



TT-011



TT-012

Wood Grain Pattern



SPM-001



SPM-002



SPM-003



SPM-004



SPM-005



SPM-006



SPM-007



SPM-008



SPM-009

Marble Pattern



DLS-001



DLS-002



DLS-003



DLS-004



DLS-005-3D



DLS-006



DLS-007-3D



DLS-008



DLS-009



DLS-010


Flat Pattern




PM-001




PM-002



PM-003



PM-004



PM-005



PM-006



PM-007



PM-008




PM-009



PM-010



PM-011



PM-012

Corrugated Pattern



WL-001



WL-002



WL-003



WL-004



WL-005



WL-006



WL-007



WL-008



WL-009



WL-010



WL-011



WL-012

Groove Series



DXG-001



SXG-002



SXG-003



SXG-004



SZG-005



SXG-006



SZG-007



DZG-008



DZG-009



DXG-010

Great Wall Board Series



CCB-001



CCB-002



CCB-003



CCB-004



CCB-005



CCB-006

Flag Stone Series



DSB-001



DSB-002

Six Brick Pattern



LZ-001



LZ-002



LZ-003



LZ-004



LZ-005



LZ-006



LZ-007



LZ-009



LZ-008



LZ-010

Fire-proof Rock Wool Sandwich Panel



Energy Saving Heat Insulation



Convenient Installation Cost Saving



Earthquake Resistant Anti Crack



Flame Retardant Moisture Proof




Environmental Protection Durable



Perfect Decorative Effect Wide Usage

EPS Foam Sandwich Insulation Board




Thickness: 3—10cm


INSTALLATION ACCESSORIES



ACCESSORIES OF THE SAME MATERIAL (COLOR OPTIONAL)



ACCESSORIES INSTALLATION OF EXTERNAL WALL PANEL



CONSTRUCTION CASES



CONSTRUCTION CASES



YAO QING INDUSTRIAL LIMITED

Address: No.98 Environmental Protection Industrial Park,Diao Town Street
ZhangZha Village Zhangqiu District,Jinan,Shandong,China

Tel / WhatsApp: +86 150 7522 9909

Email:info@yqmetalpanel.com

Website: www.yqmetalpanel.com